Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	523740	state near20 (information data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 20:31
L2	59069	state near20 (information data) near20 (health perform\$3 utiliz\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 20:34
L3	184	state near20 (aggregator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 20:34
L4	20262	state near20 (aggregator collector assembler assimilator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 20:38
L5	2	state near20 (aggregator collector assembler assimilator) near20 limit\$5 near25 (utiliz\$5 or usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 20:35
L6	1524728	state near20 (aggregator collector assembler assimilator) nerar20 network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 20:38
L7	384	state near20 (aggregator collector assembler assimilator) near20 network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 20:38
L8 -	594	(state or condition) near20 (aggregator collector assembler assimilator) near20 network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 20:39

L9	397	I8 same I4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 20:39
L10	20	l8 same l4 and limit\$5 near10 (utiliz\$5 or usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 20:42
L11	0	I8 same I4 and (limit\$5 near10 (utiliz\$5 or usage)same I2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 20:40
L12	-	l8 same l4 and (limit\$5 near10 (utiliz\$5 or usage)and l2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 20:40
L13	9174353	determin\$3 near20 network\$3 (state health condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 20:42
L14	10652	determin\$3 near20 network\$3 near5 (state health condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 21:24
L15	20	(determin\$3 analyz\$4 discover\$3) near20 network\$3 near5 (state health condition) same (limit\$4 near8 (usage or utiliz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 21:17
L16	2	"20070008927"	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	ON	2008/01/23 21:17
	0	A Comment of the comm	DERWENT; IBM_TDB			

	F070	W2007000007"	HC DCC::D	00		2000/01/22 2: :=
L17	5272533	"20070008927" component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 21:17
L18	1	"20070008927" and component	US-PGPUB; USPAT; USOCR; EPO; JPO; DÈRWENT; IBM_TDB	OR	ON	2008/01/23 21:17
L19	1	"20070008927" and component with (data or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 21:20
L20	1	"20070008927" and component near20(data or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2008/01/23 21:20
L21	4487	determin\$3 near10 network\$3 near5 (state health condition) same (health or condition performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 21:25
L22	134	determin\$3 near10 network\$3 near5 (state health condition) same (health or condition performance) same (limit\$4 with user with utiliz\$5 or usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 21:30
L23	3	determin\$3 near10 network\$3 near5 (state health condition) same (health or condition performance) same (limit\$4 with user with utiliz\$5 or usage) and (output with state)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 21:28
L24	260	(determin\$3 analyz\$3 or dicover\$3) near10 network\$3 near5 (state health condition performan\$3) same (health or condition performance) same (limit\$4 with user with utiliz\$5 or usage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 21:30

near10 network\$3 near5 (state) SAME (same (health or condition performance) same (limit\$4 with user with utiliz\$5 or usage) same (congest\$4 USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB USPAT;						1	<u> </u>			
near10 network\$3 near5 (state) Same (health or condition performance) same (limit\$4 with user with utiliz\$5 or usage) same Congest\$4 USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB USPAT; USOCR	/23 21:37 ,	2008/01/2		ON	₹		USPAT; USOCR; EPO; JPO; DERWENT;	near10 network\$3 near5 (state) same (health or condition performance) same (limit\$4 with		L25
L28	/23 21:31	2008/01/2		ON	\		USPAT; USOCR; EPO; JPO; DERWENT;	near10 network\$3 near5 (state) same (health or condition performance) same (limit\$4 with user with utiliz\$5 or usage) same	6	L26
L29	/23 21:37	2008/01/2		ON	₹		USPAT; USOCR; EPO; JPO; DERWENT;	"20040111638" and user		L27
Control\$5	/23 21:39	2008/01/2		ON	•		USPAT; USOCR; EPO; JPO; DERWENT;		. 1	L28
USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; USOCR; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; US-PGPU	/23 21:39	2008/01/2		ON	₹		USPAT; USOCR; EPO; JPO; DERWENT;	·		L29
USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; USPAT; USOCR;	/23 21:42	2008/01/2		ON			USPAT; USOCR; EPO; JPO; DERWENT;	"20040111638" and control\$5	1	L30
utiliz\$5 USPAT; USOCR;	/23 21:39	2008/01/2		ON	₹		USPAT; USOCR; EPO; JPO; DERWENT;	·	0	L31
DERWENT; IBM_TDB	/23 21:39	2008/01/2		ON	?		USPAT; USOCR; EPO; JPO; DERWENT;	·		L32

L33	1	"20040111638" and state with network	US-PGPUB; USPAT; USOCR;	OR	ON	2008/01/23 21:43
		·	EPO; JPO; DERWENT; IBM_TDB			
L34		"20040111638" and state with network with component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 21:43
L35	1	"20040111638" and state with network same component	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 22:08
L36	3062	network\$3 near10 (component or device) near10 (usag\$3 or untiliz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 22:09
L37	<u>2</u> 2501	network\$3 near10 (component or device) near10 (usag\$3 or utiliz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 22:09
L38	3910	(control\$4 or limit\$3 or determin\$3 or analyz\$3) near12 network\$3 near10 (component or device) near10 (usag\$3 or utiliz\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 22:10
L39	4	(control\$4 or limit\$3 or determin\$3 or analyz\$3) near12 network\$3 near10 (component or device) near10 (usag\$3 or utiliz\$5)same (((aggreagt\$3 or collect\$3) near20 state or conditon) near10 (data or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 22:14
L40	1272	network\$3 near10 health near10 monitor\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ÓN	2008/01/23 22:14

L41	0	(network\$3 near10 health near10 monitor\$3) same (state near20 (limit\$3 or curtail\$3 or control\$3) near10 (utiliz\$4 or usage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 22:16
L42	24	(network\$3 near10 health near10 monitor\$3) and (state near20 (limit\$3 or curtail\$3 or control\$3) near10 (utiliz\$4 or usage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 22:18
L43	0	(network\$3 near10 health near10 monitor\$3) and (state near20 (limit\$3 or curtail\$3 or control\$3) near10 (utiliz\$4 or usage))same priority	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 22:17
L44	0	(network\$3 near10 health near10 monitor\$3) and (state near20 (limit\$3 or curtail\$3 or control\$3) near10 (utiliz\$4 or usage))same output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 22:18
L45 .	12	(network\$3 near10 health near10 monitor\$3) and (state near20 (limit\$3 or curtail\$3 or control\$3) near10 (utiliz\$4 or usage))same health	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/23 22:19
S1	4 6	(network\$3 adj2 monitor\$3) with (((many different several different plural\$3 multi) adj3 protocol) or multi-protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:32
S2	213	(network\$3 near5 monitor\$3) with (((many different several different plural\$3 multi) adj3 protocol) or multi-protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:33
S3	298	(network\$3 near5 monitor\$3) with (((many different several different plural\$3 multi) near5 protocol) or multi-protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:58

S4	106190	((extract\$3 determin\$3 discover\$3 retriev\$3 access\$3 obtain\$3) near5 (status))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:55
S5	12785	((select\$3 chos\$3 choos\$3 pick\$3) adj3 protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:39
S6	74	S4 same S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:40
S7	25	S6 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:41
S8 .	570880	((extract\$3 determin\$3 discover\$3 retriev\$3 access\$3 obtain\$3) near5 (status or condition))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:40
S9	107	S8 same S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:40
S10	25	S9 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:41
S11	305	((stor\$3 sav\$3) adj3 (status or condition)) with ((first or primary or init\$4) adj4(memory or buffer or buffer or disk)) with ((second another intermedia\$3 secondary next) adj4 (memory or buffer or buffer or disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:56

S12	4	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:53
S13	3	"600805".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:50
S14	2	"6008805".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:50
S15	74	("5657390" "5742762" "5784597" "5787483"):PN.:OR ("6008805"):URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/21 18:51
S16	1	"6360258".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/21 18:51
S17	2	"6360258".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:51
S18	12	("5960176" "5999179" "6163802").PN. OR ("6360258"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/21 18:52
S19	0,	"10670505".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/07/21 18:52
S20	0	"10670505".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 18:53

1/23/08 11:16:35 PM
C:\Documents and Settings\jjeangilles\My Documents\EAST\Workspaces\10670505.wsp

	•		T	T		
S21	85	S15 S18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 18:53
S22	383	S21 S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/21 18:53
S23	30	S22 same S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:55
S24	25	S22 same S4 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:55
S25	4	S22 same S4 and S5 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:56
S26	4	S22 same S4 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:56
S27	30	S22 same S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:56
S28	659	((stor\$3 sav\$3) adj3 (status or condition)) with ((second another intermedia\$3 secondary next) adj4 (memory or buffer or buffer or disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 19:52

620		1271 620	LIC DCDLIE	00	ON	2007/07/24 15 55
S29	660	127and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:56
S30		S27 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:57
S31	954	((stor\$3 sav\$3) adj3 (status or condition)) with ((second another intermedia\$3 secondary next) near5 (memory or buffer or buffer or disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 19:57
S32	4	S27 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:58
S34	4	S3 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 18:59
S35	682	(network\$3 near5 monitor\$3) same (((many different several different plural\$3 multi) near5 protocol) or multi-protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 19:05
S36	6	S35 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/07/21 18:59
S37	468	(network\$3 near5 monitor\$3) same (((many different several different plural\$3 multi) adj3 protocol) or multi-protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 22:34

S38	468	(network\$3 near5 monitor\$3) same (((many different several different plural\$3 multi) adj3 protocols) or multi-protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 19:05
S39	1714	((stor\$3 sav\$3) adj3 (status or condition)) with ((second another intermedia\$3 secondary next) with (memory or buffer or buffer or disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 19:09
S40	4	S38 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 19:07
S41	15250	((stor\$3 sav\$3) adj3 (status or condition)) with (memory or buffer or buffer or disk)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/07/21 19:07
S42		S38 and S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 19:09
S43	11405	((stor\$3 sav\$3) with (status or condition)) with ((second another intermedia\$3 secondary next) with (memory or buffer or buffer or disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR :	ON	2007/07/21 19:12
S44	17	S38 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 19:10
S45	468	S38 samel43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 19:10

						1
S46	9	S38 same S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 19:13
S47	83674	((stor\$3 sav\$3) with (status or condition) with (memory or buffer or buffer or disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 19:51
S48	9	S38 same S47	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 19:13
S49	274	((stor\$3 sav\$3) with (status or condition) with (memory or buffer or buffer or disk)) same (network\$3 near5 monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 19:51
S50	9	((stor\$3 sav\$3) adj3 (status or condition)) with ((second another intermedia\$3 secondary next) near5 (memory or buffer or buffer or disk)) same (network\$3 near5 monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 22:30
S51	11401	((extract\$3 or retriev\$3 or obtain\$3 or get\$4) near5 (status or condition) with (function or module or program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 22:33
S52	220	((extract\$3 or retriev\$3 or obtain\$3 or get\$4) near5 (status or condition) with (function or module or program)) same protocols	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 22:38
S53	468	(network\$3 near5 monitor\$3) same (((many different several different plural\$3 multi) adj3 protocol) or multi-protocol)	US-PGPUB; USPAT; USOGR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 22:34

						
S54	25	S52 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OŅ	2007/07/21 22:36
S55	13	S52 same S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 22:34
S56	175	((extract\$3 or retriev\$3 or obtain\$3 or get\$4) near5 (status or condition) with (function or module or program)) same protocols and (virtual interfac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 22:39
S57	81	((extract\$3 or retriev\$3 or obtain\$3 or get\$4) near5 (status or condition) with (function or module or program)) same protocols same(virtual interfac\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 22:39
S58	45	((extract\$3 or retriev\$3 or obtain\$3 or get\$4) near5 (status or condition) with (function or module or program)) same protocols same(virtual interfac\$3) and (network\$3 near5 monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/07/21 22:39
S59	2	((extract\$3 or retriev\$3 or obtain\$3 or get\$4) near5 (status or condition) with (function or module or program)) same protocols same(virtual interfac\$3) same (network\$3 near5 monitor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 22:46
S60	4146	protocol with common with (software or program or module or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 22:47
S61	1987	protocol with (common near5(software or program or module or application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 22:47

Page 13 1/23/08 11:16:35 PM C:\Documents and Settings\jjeangilles\My Documents\EAST\Workspaces\10670505.wsp

S62	4734	protocol with ((common or sam\$4) near5(software or program or module or application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2007/07/21 22:48
S63	2941	protocol near5((common or sam\$4) near5(software or program or module or application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 22:48
S64	2941	protocol near5((common or sam\$4) near5(software or program or module or application or funtion))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 22:48
S65	2941	protocol near5((common or sam\$4) near5(software or program or module or application))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 22:48
S66	21	S65 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 22:49
S67	. 0	S65 same S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/21 22:49
S68		"7069480".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 13:29
S69		"6799211".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 13:29

			·			
S70 _	300	(network\$3 near5 monitor\$3) with (((many different several different plural\$3 multi) near5 protocol) or multi-protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 13:29
S71	74	("5657390" "5742762" "5784597" "5787483").PN. OR ("6008805").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/06 13:29
S72	12	("5960176" "5999179" "6163802").PN. OR ("6360258"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/08/06 13:29
S73	85	S71 S72	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 13:29
S74	385	S73 S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/06 13:29
S75	959	((stor\$3 sav\$3) adj3 (status or condition)) with ((second another intermedia\$3 secondary next) near5 (memory or buffer or buffer or disk))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/06 13:29
S76	4	S74 and S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2007/08/06 13:29